Instrument (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

For regular deliveries:

instrument/lib

instrument/ancillary/PGENAME

instrument/ancillary/PCF_Parameter_Map.txt

instrument/rcf/*.csh, *.pl, *.pm, MCF_*

instrument/PGENAME/rcf/*.csh, *.pl, *.pm

instrument/PGENAME/bin

instrument/CER1.2P1/lib (only if this PGE is delivered)

instrument/CER1.4P1/lib (only if this PGE is delivered)

instrument/CER1.4P2/lib (only if this PGE is delivered)

Directories that need to exist in production but don't need to be "promoted"

instrument/runlogs/PGENAME

instrument/web

instrument/data/BDS

instrument/data/BDSI

instrument/data/BDSD

instrument/data/BDSG

instrument/data/BDSF

instrument/data/BDSS

instrument/data/BDSP

instrument/data/BDSM

instrument/data/IES

instrument/data/GAIN

instrument/data/Level0

instrument/data/MEM

instrument/data/NPPATT

instrument/data/NPPEPH

instrument/data/NPPRDR

instrument/data/PRES8

instrument/data/QCSW

instrument/data/QCTL

instrument/data/OCWN

instrument/data/AM1ATTNF

instrument/data/AM1EPHN0

instrument/data/PM1ATTNR

instrument/data/PM1EPHND

instrument/PGENAME/rcf/pcf

instrument/PGENAME/rcf/pcf/summary instrument/sge_logs/PGENAME

For gains files deliveries:

```
instrument/ancillary/CER1.4P3/FM1_Count_Conversion_Data.* & FM1_Offsets* (if delivered) instrument/ancillary/CER1.4P3/FM2_Count_Conversion_Data.* & FM2_Offsets* (if delivered) instrument/ancillary/CER1.4P3/FM3_Count_Conversion_Data.* & FM3_Offsets* (if delivered) instrument/ancillary/CER1.4P3/FM4_Count_Conversion_Data.* & FM4_Offsets* (if delivered) instrument/ancillary/CER1.4P3/FM5_Count_Conversion_Data.* & FM5_Offsets* (if delivered)
```

ERBE-like (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

```
For regular deliveries:
```

erbelike/CER2.2P1/Web/anc

erbelike/CER2.2P1/Web/anc/font

erbelike/CER2.2P1/Web/anc/color/ppm

erbelike/CER3.1P1/Web/s4g/anc/font

erbelike/CER3.1P1/Web/s4g/anc/Outlines

erbelike/CER3.1P1/Web/s4g/anc/Screencol

erbelike/CER3.2P1/Web/s4g/anc/font

erbelike/CER3.2P1/Web/s4g/anc/Outlines

erbelike/CER3.2P1/Web/s4g/anc/Screencol

erbelike/ancillary/CER2.1P1/ERBEalbedos

erbelike/ancillary/CER2.1P1/ERBEgeoscene

erbelike/ancillary/CER2.1P1/LWThresholds

erbelike/ancillary/CER2.1P1/NSIDCgrid

erbelike/ancillary/CER2.1P1/SNOWcomposite

erbelike/ancillary/CER2.1P1/SNOWnorthern

erbelike/ancillary/CER2.2P1/Inversion

erbelike/ancillary/CER2.2P1/Inversion/ERBEscnID

erbelike/ancillary/CER2.2P1/Inversion/ADMparameters

erbelike/ancillary/CER2.2P1/Inversion/Tolerances

erbelike/ancillary/CER2.2P1/OCchecker

erbelike/ancillary/CER2.2P1/Xtrk db

erbelike/ancillary/CER2.4P1/modtran

erbelike/ancillary/CER3.1P1

erbelike/bin

erbelike/CER2.1P1/bin

erbelike/CER2.1P1/rcf

erbelike/CER2.1P1/src

erbelike/CER2.1P1/src/Web erbelike/CER2.2P1/bin erbelike/CER2.2P1/rcf erbelike/CER2.2P1/src/gen es8hdf erbelike/CER2.2P1/Web/csh erbelike/CER2.2P1/Web/src erbelike/CER2.3P1/rcf erbelike/CER2.3P2/rcf erbelike/CER2.4P1/bin erbelike/CER2.4P1/lib erbelike/CER2.4P1/rcf erbelike/CER2.4P1/src erbelike/CER3.1P1/bin erbelike/CER3.1P1/rcf erbelike/CER3.1P1/rcf/mcf erbelike/CER3.1P1/src/ddbsrt erbelike/CER3.1P1/src/ddbuer erbelike/CER3.1P1/src/mtsa1 erbelike/CER3.1P1/Web/s4g/csh erbelike/CER3.1P1/Web/s4g erbelike/CER3.1P1/Web/s4g/src erbelike/CER3.1P1/Web/s4g/src/genppm erbelike/CER3.1P1/Web/s4g/src/gets4g erbelike/CER3.2P1/bin erbelike/CER3.2P1/rcf erbelike/CER3.2P1/src/mtsa0 erbelike/CER3.2P1/src/mtsa3 erbelike/CER3.2P1/Web/es4 stats/bin erbelike/CER3.2P1/Web/es4_stats/src erbelike/CER3.2P1/Web/s4g erbelike/CER3.2P1/Web/s4g/csh erbelike/CER3.2P1/Web/s4g/src erbelike/CER3.2P1/Web/s4g/src/genppm erbelike/CER3.2P1/Web/s4g/src/gets4g erbelike/lib/ddbint erbelike/lib/ddbuer erbelike/lib/ddbupd erbelike/lib/erbelike lib erbelike/lib/es4 erbelike/lib/gen_es4hdf erbelike/lib/gen_es9hdf erbelike/lib/inv

erbelike/lib/pre_es4 erbelike/lib/sol_dec

erbelike/lib/tsalib erbelike/mcf erbelike/rcf erbelike/smf

Directories that need to exist in production but don't need to be "promoted"

erbelike/data/CERES/SCCD

erbelike/data/CERES/SCCN

erbelike/data/CERES/SNOW/CERES_NSIDC

erbelike/data/CERES/CQCR

erbelike/data/CERES/CXDR

erbelike/data/CERES/EID6

erbelike/CER2.1P1/data/scr

erbelike/CER2.1P1/rcf/pcf/summary

erbelike/CER2.4P1/data/input

erbelike/CER2.4P1/data/scr

erbelike/CER2.4P1/rcf/pcf/summary

erbelike/CER2.4P1/Web/scc trend/data

erbelike/CER2.2P1/data/scr

erbelike/CER2.2P1/rcf/pcf/summary

erbelike/CER2.3P1/data/scr

erbelike/CER2.3P1/rcf/pcf/summary

erbelike/CER2.3P2/data/scr

erbelike/CER2.3P2/rcf/pcf/summary

erbelike/CER3.1P1/data/scr

erbelike/CER3.1P1/rcf/pcf/summary

erbelike/CER3.2P1/data/scr

erbelike/CER3.2P1/rcf/pcf/summary

erbelike/web/CER2.1P1/CERESfmt

erbelike/web/CER2.1P1/CERESweb

erbelike/web/CER2.2P1/gif

erbelike/web/CER3.1P1/qc

erbelike/web/CER3.1P1/s4g/dat

erbelike/web/CER3.1P1/s4g/gif

erbelike/web/CER3.2P1/qc

erbelike/web/CER3.2P1/s4g/dat/

erbelike/web/CER3.2P1/s4g/gif/

erbelike/web/CER3.2P1/es4 stats/data/

erbelike/runlogs/CER2.1P1

erbelike/runlogs/CER2.4P1

erbelike/runlogs/CER2.2P1

erbelike/runlogs/CER2.3P1

erbelike/runlogs/CER2.3P2

erbelike/runlogs/CER3.1P1

erbelike/runlogs/CER3.2P1 erbelike/sge_logs/CER2.1P1 erbelike/sge_logs/CER2.4P1 erbelike/sge_logs/CER2.2P1 erbelike/sge_logs/CER2.3P1 erbelike/sge_logs/CER2.3P2 erbelike/sge_logs/CER3.1P1 erbelike/sge_logs/CER3.2P1

Clouds (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

clouds/ancillary/PGENAME clouds/PGENAME/bin clouds/PGENAME/rcf/*.pl, *.env, *.pm clouds/smf

Directories that need to exist in production but don't need to be "promoted"

clouds/data/Cookie clouds/data/CRH Update clouds/data/ECS-OA0063m clouds/data/ECS-OA0160m clouds/data/ECS-OA0213m clouds/data/ECS-OA0063SFm clouds/data/ECS-OA0063SFSCm clouds/data/ECS-OA0124SCm clouds/data/ECS-OA0124SFm clouds/data/ECS-OA0160SCm clouds/data/ECS-OA0160SFm clouds/data/ECS-OA0213SFm clouds/data/ECV clouds/data/ECVS clouds/data/EOCDB clouds/data/EQCDG clouds/data/EQCDS clouds/data/EQCHB clouds/data/EQCHG clouds/data/EQCMB clouds/data/EQCMG

clouds/data/FQC

clouds/data/scr clouds/data/SSF_Int clouds/data/CER_ESAI clouds/runlogs clouds/runlogs/CER4.1-4.1P6_2P5/ clouds/sge_logs/PGENAME clouds/PGENAME/rcf/pcf

Inversion (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

inversion/PGENAME/rcf inversion/PGENAME/bin inversion/ancillary inversion/rcf/

Directories that need to exist in production but don't need to be "promoted"

inversion/runlogs inversion/data/GQCA inversion/data/GQCA-val inversion/data/GQCI inversion/data/SSF

inversion/data/SSFA inversion/data/SSFAS-DAY

inversion/data/SSTAS-DAT

inversion/data/SSFA-val

inversion/data/SSFA-valmm

inversion/data/SSFB

inversion/data/SSFB-nadir

inversion/data/SSFB-val

inversion/data/SSFB-valmm

inversion/data/SSF-nadir

inversion/data/SSFS-DAY

inversion/data/SSFS-NIT

inversion/data/sibiMap

inversion/data/IES

inversion/data/SORCE

inversion/data/MATCH-daily

inversion/data/scr

inversion/PGENAME/rcf/pcf

inversion/PGENAME/rcf/pcf/summary

inversion/sge_logs/PGENAME clouds/data/SSF_Int/ clouds/data/FQC/

Instantaneous SARB (PGE 5.0P2)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME sarb/PGENAME/rcf sarb/smf/sarb sarb/PGENAME/bin sarb/rcf sarb/rcf/mcf

Directories that need to exist in production but don't need to be "promoted" sarb/PGENAME/rcf/pcf sarb/data sarb/data/scr sarb/runlogs/PGENAME sarb/sge_logs/PGENAME

<u>TISA Gridding (PGEs 9.0P1,9.0P2, 9.0P3, 9.1P1, 9.1P2, 9.2P2, 9.2P3, 9.3P2, 9.3P3, 9.4P2, and 9.4P3)</u>

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_grid/PGENAME/bin tisa_grid/PGENAME/rcf tisa_grid/ancillary/CER9.0P2/static tisa_grid/ancillary/CER9.0P3/static tisa_grid/ancillary/CER9.2P2/static tisa_grid/ancillary/CER9.2P3/static tisa_grid/rcf/mcf tisa_grid/smf

Directories that need to exist in production but don't need to be "promoted" tisa_grid/PGENAME/rcf/pcf tisa_grid/data tisa_grid/runlogs

tisa_grid/scr tisa grid/sge logs/CER9.0P1 tisa_grid/sge_logs/CER9.1P1 tisa_grid/sge_logs/CER9.1P2 tisa_grid/sge_logs/CER9.2P2 tisa_grid/sge_logs/CER9.3P2 tisa_grid/sge_logs/CER9.4P2 tisa_grid/sge_logs/CER9.2P3 tisa_grid/sge_logs/CER9.3P3 tisa_grid/sge_logs/CER9.4P3 tisa grid/PGENAME/lib tisa grid/PGENAME/mod tisa grid/data/PMOA tisa grid/data/SFC-HR tisa grid/data/SFCB tisa_grid/data/SFC tisa grid/data/MOVLP tisa grid/data/MQCRP tisa_grid/data/MRGRP tisa_grid/data/ISCCP-D2like-Day tisa grid/data/ISCCP-D2like-Nit tisa_grid/data/SSF1deg-HR tisa_grid/data/SSF1degB tisa grid/data/SSF1degD tisa_grid/data/SSF1deg-Hour

TISA Averaging (PGE 7.3.1P1)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin tisa_avg/PGENAME/rcf tisa_avg/ancillary tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted" tisa_avg/data/scr tisa_avg/runlogs/PGENAME tisa_avg/data/int_prod tisa_avg/data/data_7/ tisa_avg/data/data_7/out_comp

TISA Averaging (PGE 8.1P1)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin tisa_avg/PGENAME/rcf tisa_avg/ancillary tisa_avg/rcf tisa_avg/web/plot/csh tisa_avg/web/plot/dat/SYN tisa_avg/web/plot/src/syn tisa_avg/web/plot/anc/color/ppm/

tisa_avg/web/plot/anc/color/ppm/src tisa_avg/web/plot/anc/color/ppm/syn tisa_avg/web/plot/anc/color/ps tisa_avg/web/plot/anc/font tisa_avg/web/plot/anc/map

Directories that need to exist in production but don't need to be "promoted" tisa_avg/data/scr

tisa_avg/runlogs/PGENAME tisa_avg/web/plot/gif

TISA Averaging (PGE 10.0P3)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin tisa_avg/PGENAME/rcf tisa_avg/ancillary tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted" tisa_avg/data/scr tisa_avg/runlogs/PGENAME tisa_avg/data/int_prod

TISA Averaging (PGE 10.0P4)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin tisa_avg/PGENAME/rcf tisa_avg/ancillary tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted" tisa_avg/data/scr tisa_avg/runlogs/PGENAME tisa_avg/data/int_prod

Synoptic SARB (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME sarb/PGENAME/rcf sarb/PGENAME/rcf/mcf sarb/smf/sarb sarb/PGENAME/bin sarb/rcf

Directories that need to exist in production but don't need to be "promoted" sarb/PGENAME/rcf/pcf

sarb/data sarb/runlogs/PGENAME sarb/sge_logs/PGENAME

GGEO (PGE 11.7P1)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

ggeo/PGENAME/bin ggeo/PGENAME/rcf

ggeo/ancillary/CER11.7P1/static ggeo/rcf/mcf ggeo/smf

Directories that need to exist in production but don't need to be "promoted" ggeo/PGENAME/rcf/pcf ggeo/data ggeo/runlogs ggeo/scr ggeo/sge_logs/CER11.7P1 ggeo/PGENAME/lib ggeo/PGENAME/mod tisa_grid/data/ISCCP-D2like-GEO

Regrid MOA (All PGEs)

Note: Only promote the PGE-specific directories for PGEs that have been delivered with a given SCCR. If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME sarb/PGENAME/rcf sarb/PGENAME/rcf/mcf sarb/smf/regridmoa sarb/PGENAME/bin

Directories that need to exist in production but don't need to be "promoted" sarb/PGENAME/rcf/pcf sarb/data sarb/runlogs

Perl Lib

lib/Perl_Lib/Apache

lib/Perl Lib/CERES

lib/Perl Lib/Class

lib/Perl Lib/Cluster

lib/Perl_Lib/File

lib/Perl Lib/Log

lib/Perl_Lib/Net

lib/Perl Lib/Perl

lib/Perl_Lib/RPC

lib/Perl_Lib/System

lib/Perl_Lib/Toolkit

lib/Perl_Lib/XML

lib/Perl Lib/lib

lib/Perl_Lib/man

lib/Perl_Lib/local_version.pl

lib/Perl_Lib/make_method.pl

lib/Perl_Lib/pcf_env_p6.pl

lib/Perl_Lib/pcf_env_x86.pl

lib/Perl_Lib/Log/Summary.pm

lib/Perl_Lib/Pcf.pm

lib/Perl_Lib/PathUtils.pm

lib/Perl_Lib/SGE_Utils.pm

lib/Perl_Lib/Dates.pm

lib/Perl_Lib/PCF_Env.pm

lib/Perl_Lib/Archive_Utils.pm

lib/Perl Lib/bin

lib/Perl_Lib/Convert

lib/Perl Lib/Data

lib/Perl Lib/Schedule

lib/Perl_Lib/JSON

lib/Perl_Lib/JSON.pm

CERESlib

lib/p6-xlf/data

lib/p6-xlf/bin

lib/x86-gnu/data

lib/x86-gnu/bin

lib/common

CATALYST Server

catalyst/catalyst_x.x.x-SCCR#.sh, where x.x.x is the Build number and SCCR# is the SCCR number related to the delivery being promoted

CATALYST Monitoring Utility

catalyst/bin/utils/catalyst_monitor

CATALYST Recovery Utility

catalyst/bin/utils/catalyst_recovery catalyst/bin/utils/catalyst_recovery_report.sh catalyst/bin/utils/catalystdd

CATALYST Logging Database Patcher

catalyst/catalyst_db_patch_vx.x.x-SCCR#.sh, where x.x.x is the Build number and SCCR# is the SCCR number related to the delivery being promoted

catalyst/catalyst_db_patch_vx.x.x- SCCR#.sql, where x.x.x is the Build number and SCCR# is the SCCR number related to the delivery being promoted